

**ДО
КМЕТА НА
ОБЩИНА ЛЯСКОВЕЦ**

**ПРЕДСТАВЯНЕ НА ОФЕРТА
ЗА ИЗПЪЛНЕНИЕ НА „ДОСТАВКА НА ОБОРУДВАНЕ - УСТРОЙСТВО ЗА
ПРИДВИЖВАНЕ НА ИНВАЛИДНИ КОЛИЧКИ” ПО МЯРКА 7 „ОСНОВНИ УСЛУГИ И
ОБНОВЯВАНЕ НА СЕЛАТА В СЕЛСКИ РАЙОНИ” ; ПОДМЯРКА 7.1 „ИНВЕСТИЦИИ В
СЪЗДАВАНЕТО, ПОДОБРЯВАНЕТО ИЛИ РАЗШИРЯВАНЕТО НА ВСИЧКИ ВИДОВЕ
МАЛКА ПО МАЩАБИ ИНФРАСТРУКТУРА” ПО ПРОГРАМА РАЗВИТИЕ НА СЕЛСКИТЕ
РАЙОНИ 2014 -2020 Г.**

УВАЖАЕМИ ГОСПОЖО КМЕТ,

Представям на вашето внимание нашата оферта за изпълнение на „Доставка на оборудване - устройство за придвижване на инвалидни колички” по мярка 7 „Основни услуги и обновяване на селата в селските райони”, подмярка 7.2 „Инвестиции в създаването, подобряването или разширяването на всички видове малка по мащаби инфраструктура” по Програма за развитие на селските райони 2014 – 2020 г.:

1. Към настоящата оферта прилагам следните документи:
 - Представяне на оферент – Образец № 1
 - Техническо предложение – Образец № 2
 - Ценово предложение – Образец № 3 и приложение.

2. Декларирам, че срокът на валидността на нашата оферта е 90 (деветдесет) считано от датата на издаване на настоящата офертата.

3. Декларираме, че при изготвяне на офертата ни са спазени изискванията за закрила на заетостта, включително условията на труд и минимална цена на труда.

Дата: 27.09.2016 г.

С уважение:

Име и фамилия: **Наташа Колева**
Длъжност: **Управител**

Чл. 2 от ЗЗЛД и чл. 45, ал. 2 от ЗОП

**ДО КМЕТА НА
ОБЩИНА ЛЯСКОВЕЦ**

ПРЕДСТАВЯНЕ НА ОФЕРЕНТ¹

в пазарни консултации за изпълнение на

„Доставка на оборудване - устройство за придвижване на инвалидни колички” по проект: „Ремонт и обновяване на Читалище „Напредък – 1870”, гр. Лясковец” по мярка 7 „Основни услуги и обновяване на селата в селските райони”, подмярка 7.2 „Инвестиции в създаването, подобряването или разширяването на всички видове малка по мащаби инфраструктура” по Програма за развитие на селските райони 2014 – 2020 г.

Административни сведения:

Наименование на участника:	“КАРНО БГ” ЕООД
ЕИК/БУЛСТАТ/ЕГН <i>(или друга идентифицираща информация в съответствие със законодателството на държавата, в която участникът е установен)</i>	200450202
Седалище и адрес на управление:	
- пощенски код, населено място:	гр. Велико Търново 5000
- ул./бул. №, блок №, вход, етаж:	ул. „ Никола Габровски” 21
Адрес за кореспонденция:	
- пощенски код, населено място:	гр. Велико Търново 5000
- ул./бул. №, блок №, вход, етаж:	ул. „ Никола Габровски” 21
Телефон:	0887463899
Факс:	
Е-mail адрес:	office@karnobg.com
Лице за контакт:	Наташа Колева
Телефон:	0887463899
<i>(в случай че участникът е обединение, информацията се попълва за всеки участник в обединението, като се</i>	

<i>добавя необходимият брой полета)</i>	
Лица, представляващи участника по учредителен акт:	
<i>(ако лицата са повече от едно, се добавя необходимият брой полета)</i>	
Трите имена, лична карта №, адрес	
НАТАША Чл. 2 от ЗЗЛД и чл. 45, ал. 2 от ЗОП А КОЛЕВА	гр. Велико Търново, ул. „Филип Тотю“ №15 Чл. 2 от ЗЗЛД и чл. 45, ал. 2 от ЗОП
Трите имена, лична карта №, адрес	
Трите имена, лична карта №, адрес	
Трите имена, лична карта №, адрес	
Участникът се представлява заедно или поотделно <i>(невярното се зачертава)</i> от следните лица:	1. Наташа Колева
	2.
Пълномощник <i>(попълва се в случай, че офертата се подписва от упълномощено лице)</i> и пълномощно	
Трите имена, лична карта №, адрес	

УВАЖАЕМА ГОСПОЖО КМЕТ,

Заявяваме, че желаем да участваме в процедура по провеждане на пазарни консултации по Закона за обществените поръчки (ЗОП) чрез събиране на оферти за изпълнение на „Доставка на оборудване - устройство за придвижване на инвалидни колички” по проект: „Ремонт и обновяване на Читалище „Напредък – 1870”, гр. Лясковец”.

1. Декларираме, че при изготвяне на офертата ни са спазени изискванията² за закрила на заетостта, включително условията на труд и минимална цена на труда³.

2. Декларираме, че срокът на валидността* на нашата оферта е 90 (деветдесет) календарни дни, считано от датата на издаване на офертата.

**Срокът започва да тече от датата на издаването на офертата. Срокът на валидност на офертата представлява времето, през което участникът е обвързан с условията на представената от него оферта.*

3. Към нашата оферта представяме:

- Техническо предложение (Образец № 2);
- Ценово предложение (Образец № 3).

27.09.2016 г.

(посочва се датата на издаване на офертата)

Подпис и печат

Име и фамилия: Миташа Колева

Длъжност: Управител



Чл. 2 от ЗЗЛД и чл. 45, ал. 2 от ЗОП

¹ Документът е задължителна част от офертата и се подписва от законния представител на участника или от надлежно упълномощено лице.

² Запознати сме с условието, че информация за условията за закрила на заетостта и условията на труд, могат да бъдат получени от следните органи:

- Националната агенция по приходите;
- Агенцията по заетостта;
- Министерството на труда и социалната политика.

³ Запознати сме с условието, че „минимална цена на труда” е минималният размер на заплащане на работната сила, определен като минимален месечен размер на осигурителния доход по дейности и групи професии съгласно от Закона за бюджета на държавното обществено осигуряване за съответната година.

ТЕХНИЧЕСКО ПРЕДЛОЖЕНИЕ

от оферент в пазарни консултации за изпълнение на
**„Доставка на оборудване - устройство за придвижване на инвалидни
 колички”** по проект: **„Ремонт и обновяване на Читалище „Напредък – 1870”,
 гр. Лясковец”** по мярка 7 **„Основни услуги и обновяване на селата в селските
 райони”,** подмярка 7.2 **„Инвестиции в създаването, подобряването или
 разширяването на всички видове малка по мащаби инфраструктура”**
 по Програма за развитие на селските райони 2014 – 2020 г.

Подписаният/-ата **НАТАША**
(трите имена)

Чл. 2 от ЗЗЛД и чл. 45,
 ал. 2 от ЗОП

КОЛЕВА,

данни по документ за самоличност:
 Чл. 2 от ЗЗЛД и чл. 45, ал. 2 от ЗОП

(име, фамилия, презиме, бран и място на издването)
 в качеството си на : **управител**

(длъжност)

На: **“КАРНО БГ” ЕООД, с ЕИК 200450202**
(наименование на оферента)

След запознаване с техническата спецификация за настоящото провеждане на пазарни консултации за изпълнение на **„Доставка на оборудване - устройство за придвижване на инвалидни колички”** по проект: **„Ремонт и обновяване на Читалище „Напредък – 1870”, гр. Лясковец”** по мярка 7 **„Основни услуги и обновяване на селата в селските райони”,** подмярка 7.2 **„Инвестиции в създаването, подобряването или разширяването на всички видове малка по мащаби инфраструктура”** по Програма за развитие на селските райони 2014 – 2020 г., представям нашето техническо предложение в съответствие с изискванията на възложителя:

№	Артикул	Технически параметри и характеристики съгласно Техническата спецификация	Технически параметри и характеристики, предлагани от оферента
1	2	3	4
1	Устройство за придвижване на инвалидни колички	Устройство за придвижване на инвалидни колички - мобилен тип с батерии, метална конструкция, с гумирано покритие на дръжките, с вграден датчик за ъгъл, с панел с бутони ON/OFF, за регулиране на скоростта, за превключване от режим за преодоляване	Цвят и тип : син RAL 5015 - мобилен тип с батерии, метална конструкция, с панел с бутони ON/OFF Товароподемност: 130 кг. Тегло: 47 кг. Мощност на ел.мотор: 24V / 500 W

ОБРАЗЕЦ № 2

		на една стълба на режим постоянен с три скорости - за 10, за 14 и за 18 стълби в минута, капацитет- 5,2Ah, напрежение - 24V, с преносимо зарядно устройство (акумулатор 4,3 кг).	Батерии: 12 x 2 V / 12 Ah Скорост: Нагоре 5 м/мин Надолу 5 м /мин Ъгъл на преодоляване: 35°- с вграден датчик Контрол на зареждане на батериите: Зарядно устройство на 230 V вградено в устройството. Заряд: 24 V / 3 Ah Производство: Vimes S.r.l. Италия
--	--	--	--

ПРИЛОЖЕНИЕ:

1. Каталог, брошури, снимков материал и/или др., от които да са видни техническите характеристики на предлаганото оборудване.

27.09.2016 г.

(посочва се датата на издаване на офертата)

Подпис и печат:

Име и фамилия: Наташа Колева
Длъжност: Управител



Чл. 2 от ЗЗЛД и чл. 45, ал. 2 от ЗОП

Accessibility, a solution for every barrier



Mobile Stairclimbers

T09 Roby

T10 Scalacombi


GRUPPO MONTASCALE MOBILI

VIMEC
Easy moving

T09 Roby

VIMEC

Easy moving

T09 Roby: the mobile stairclimber that delivers unbeatable comfort and safety.

Roby gives wheelchair users the chance to overcome architectural barriers, whether indoors or outdoors, that obstruct mobility. Designed and built to climb straight stairways and square or rectangular landings in total safety and with no risk of damaging them thanks to the special tracks that guarantee good adherence without leaving marks.

Roby is certainly a market leader for all orthopaedics and resellers of sanitary articles that supply avant-garde products to their customers.

Innovative

Roby is moved by an irreversible totally electronically controlled gear motor (Tratogetronic) that guarantees: **constant speed** in every situation, laden or empty, going both up and down stairs, **high autonomy, safety and tranquillity** of use for passenger and operator.



Self-standing steering bar and motor casing

UPWARD AND DOWNWARD MOVEMENT GUARANTEED, EVEN UNDER EMERGENCY CONDITIONS

Electronic management of the battery charger and level of charge means that it will never drop below 8-10%. If the user does not follow normal recharging procedures and reaches the minimum level, the aid blocks; after a couple of seconds press the movement push button again and the aid starts up again, whether going up or down, reaching the closest landing in order to unload the passenger safely, with minimum absorption.

This function avoids total battery discharge and allows recovery of full efficiency, drastically reducing their replacement.

Reliable, always


Total electronic management means greater safety and a drastic reduction of breakdowns, due to reduced mechanical wear and tear, with long lasting excellent performance in terms of safety and ease of use. Furthermore Roby has a **manual descent** system, whether going up or down, so that in case of an emergency on the staircase, the passenger can be securely carried to safety. This is in line with the European regulations for lifting equipment.

Ergonomic and functional

The Roby stairclimber features are all aimed at satisfying the demands of the beneficiary and the operator. They assure movement stability and fluidity on the stairs, ease and ergonomics when moving on a level surface, availability, solidness and long autonomy.



Standard version



Small Wheels Housing version



Version with Multifunction Platform

Design and functionality

Roby's design is modern, pleasing and is made of totally recyclable materials.

Load bearing base in **aluminium** monofusion (unique)

Steering wheel in **aluminium** oval profile

Control panel and casing in ABS

Belts in antitrack rubber

Headrest and grips in cleansable material.

The smooth lines with no sharp edges or corners can be cleaned in just a few minutes.

Ergonomic

Roby is perfectly ergonomic.

For the driver:

It can be dismantled in two manageable pieces; its light weight and small size make it easy to move (self-standing steering wheel)

Minimum effort for seating the passenger

Easy floor transfer, thanks to **auxiliary wheels that activate automatically**

Attachments that can be adjusted in height and width, practical and safe, for hooking the wheelchair

Control panel at the steering wheel height that includes a battery charge gauge, gradient indicator, emergency stop button, activation key.

Pedal safety devices (no effort required by the operator)

Silent movement

Discrete: when not used can be placed in a pantry or cupboard.

Manual up and down movements in case of accidental stopping on the stairs.

For the person carried:

constant speed with no jerking movements

wheelchair can be loaded without jolts




fluid, safe wheelchair unloading operation

great stability during work




Adjustable connection swivel, in height and width.

Details




Automatic wheels - always on - that automatically adjust to the gap/solid of the step and facilitate movement on a level surface




- A) Emergency stop push-button
- B) Activation key
- C) Battery charge gauge
- D) Gradient indicator
- E) Start/stop button

Control panel.



Double, electrical and mechanical lock, of the steering bar connection to the motor casing



Tool for manual operation

TECHNICAL SPECIFICATIONS – T09 ROBY

Colour	Light Blue RAL 5015
Weight	47 kg (37 kg mobile unit, 10 kg steering bar)
Power supply	24 V, by means of 2 V-12 Ah batteries in series. 24 V-3 Ah built-in electronic battery charger, realized with switching technology directly powered by 230V. Socket for the power flex of battery charger on the body of the machine with relay for deactivation when the equipment is connected.
Motorization	Irreversible reduction gearbox, self-braking, with axial transmission driven by brushless 24V-500w electronically controlled engine. The electronics permit a reduction of 80% in the pick-up current with linear battery power consumption that increases the machine's operating time and the duration of the batteries, additionally it always allows smooth and progressive starting from the first step of the ramp.
Speed	5 m/1' upwards; 5 m/1' downwards (same speed when unloaded).
Full load autonomy	23 actual floors of which 22 until the blinking on the GREEN led, located on the control panel, alerting the need for batteries recharge, and 1 floor until the shutdown of the equipment.
Wheel belts	No-marking, high friction factor rubber, even on stairways with very rounded stairs, ensuring adherence without leaving any mark.
Gradient	35° max; the gradient indicator is on the control panel.
Load	130 kg
Minimum depth of landing	970 mm with wheelchair with footrest and passenger on board for standard and A.R.P. version; 1100 mm for P.P. version.
Minimum stair width	720 mm
Controls	Up/down controls on the steering bar; button on control unit, to load the wheel belt part of a vehicle.
Handling	The stairclimber can be dismantled in 2 parts with a single move without effort; the power unit is provided with 2 handles; it can be carried in a car trunk.
Warning	The attendant must be duly instructed at the time of delivery by an accredited technician.
Use	Adjustable to different types of wheelchairs using specifically designed accessories.

3 Versions

STANDARD	A.R.P. VERSION	P.P. VERSION
with this version it is possible to load most wheelchairs with 26-inch rear wheels (code ISO 12.21.06.039, 12.2106.60), from 300 mm. cod. ISO 12.21.06.045) seat width from 39 to 46 cm.	(small wheels housing): with steering bar specifically created for transporting all wheelchairs with small rear wheels or postural wheelchairs with tilting back	(multifunctional platform): version with platform for transporting all those wheelchairs and strollers that, because of their characteristics, cannot be anchored to the two preceding versions

Safety

Irreversible reduction gearbox; electronic speed check ; delayed controls to avoid unintentional operations; steering bar fitted with mechanical clamping system on both sides and checked by safety switch; motion consented only when the mechanical (and electrical) clamping is properly fitted; safety belt and adjustable headrest. Safety fastening on wheelchairs, preventing accidental opening. Emergency STOP. Manual emergency operation that consists in a tool to insert in the square pin connected directly to the reduction gear and installed on the front of the driving unit to be able to raise and/or lower by hand if the machine stops on the stairs.

The data given herein are indicative and not binding. Vimec reserves the right to make any changes that it may consider appropriate.

In conformity with European Directive 2004/108 EEC Electromagnetic Compatibility


In conformity with European Directive 2007/47 Medical Devices (manufacturer's certification)

Tested by Berlin Cert



T10 Scalacombi

VIMEC
Easy moving
manufactured by



T10 Scalacombi, the wheeled stairclimber, practical and safe for those who find stairs difficult.

The T10 stairclimber model is an ideal aid for anyone with mobility difficulties, even partial or just temporary, who may have difficulty in climbing stairs.

Stairs can be safely manoeuvred with T10 and an operator.


USE AND VERSATILITY

T10 is a wheeled stairclimber, ideal on **very narrow stairs** (up to 550 mm), **with small landings** (> 70 cm) and/or **winder tread (fan-shaped tread)** and can overcome **slopes up to 55°**. It can be easily and quickly dismantled and loaded into a car trunk.

RELIABLE AND STURDY

Its safety and reliability mean that the operator can guide the aid with **no effort**, and the passenger can manoeuvre the stairs **comfortably**, both upwards and downwards.

The aid's patented transmission, with a softstep function, guarantees a gentle descent of each stair. The person being helped can calmly sit down on a comfortable padded seat, equipped with an adjustable footrest. The folding armrests aid seating and standing.






Electronic Immobiliser

CONVENIENCE

T10 is certainly a market leader for all orthopaedics and resellers of sanitary articles that supply avant-garde products to their customers.



Mechanism for stopping at the step



Steering bar height adjustment



TECHNICAL SPECIFICATIONS - T10

Weight	31 kg (of which 20 kg motor unit, 5 kg steering bar with backrest, 6 kg seat, armrests and footrests).
Power supply	24 V, using a 3.5 Ah battery. The battery charge can be checked on a luminous indicator. The battery charger is included.
Speed	12 steps per minute
Autonomy	200 steps (approx. 11 storeys)
Maximum rise	200 mm
Minimum step	140 mm
Maximum gradient	55° (over 100%)
Load	120 kg
Minimum depth of landing	800 mm
Minimum stair width	550 mm
Controls	Constant pressure type, placed on the steering bar
Handling	The stairclimber can be dismantled in 6 parts without effort; it can be carried in a car trunk.
Warning	The attendant must be duly instructed at the time of delivery by an accredited technician.
Use	Movements are made effortlessly; all it takes is to press a button to climb up and down; movement on a level surface is made faster with the auxiliary wheels. System for "smooth" starting and stopping.
Safety and equipment	Patented transmission; delayed commands; two mechanical, independent brakes; electronic key; battery charge gauge; battery charger; 2 expandable arms; footrest with depth adjustment.
Optional	Sub-abdominal safety belt; headrest.

- In conformity with European Directive 2004/108 EEC Electromagnetic Compatibility
 - In conformity with European Directive 2007/47 EEC Medical Devices (manufacturer's certification)

The data given herein are indicative and not binding. Vimec reserves the right to make any changes that it may consider appropriate.


Also available:



VIMEC
Easy moving

Vimec s.r.l. - Via Parri, 7 - 42045 Luzzara - Reggio Emilia - Italy
Tel. + 39 0522 970 666 Fax +39 0522 970918
www.vimec.biz export@vimec.biz

Vimec abroad: Madrid (Spain), London (United Kingdom),
Avignon (France), Warsaw (Poland)



AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

PSP
Partner Support Program

DM
Distributors International (Europe)



Guaranteed product

The Vimec elevator is guaranteed for 24 months from the date of commissioning.

PSP: at partners' service

Partner Support Program is Vimec exclusive for its partner, namely to supply each of them, all over the world, with a series of personalised tools for developing their business and offering the end user a better and better service. This program includes: introduction to the concepts of "accessibility", specific classroom training courses and training in the field for sales staff and engineers; analysis and assistance for the development of the most appropriate market strategies; and backup for the organization of seminars (e.g. for architects, civil engineering firms, etc.) and for participation at trade fairs. Close cooperation with its partners guarantees Vimec constant improvement of its degree of know-how of the various markets, and thus of their varying needs in terms of accessibility, which translates into the design of suitable products, all oriented towards better management of customer relations, and the achievement of full customer satisfaction.

ЦЕНОВО ПРЕДЛОЖЕНИЕ

от оферент в пазарни консултации за изпълнение на
 „Доставка на оборудване - устройство за придвижване на инвалидни
 колички” по проект: „Ремонт и обновяване на Читалище „Напредък – 1870”,
 гр. Лясковец” по мярка 7 „Основни услуги и обновяване на селата в селските
 райони”, подмярка 7.2 „Инвестиции в създаването, подобряването или
 разширяването на всички видове малка по мащаби инфраструктура”
 по Програма за развитие на селските райони 2014 – 2020 г.

Чл. 2 от ЗЗЛД и чл. 45,
 ал. 2 от ЗОП

Подписаният/-ата **НАТАША**
(трите имена)

КОЛЕВА,

данни по документ за самоличност:

Чл. 2 от ЗЗЛД и чл. 45, ал. 2 от ЗОП

в качеството си на : управител
(длъжност)

на: **“КАРНО БГ” ЕООД**, с ЕИК 200450202
(наименование на оферента)

След запознаване с техническата спецификация за настоящото провеждане на пазарни консултации за изпълнение на „Доставка на оборудване - устройство за придвижване на инвалидни колички” по проект: „Ремонт и обновяване на Читалище „Напредък – 1870”, гр. Лясковец” по мярка 7 „Основни услуги и обновяване на селата в селските райони”, подмярка 7.2 „Инвестиции в създаването, подобряването или разширяването на всички видове малка по мащаби инфраструктура” по Програма за развитие на селските райони 2014 – 2020 г., представям нашето ценово предложение в съответствие с изискванията на възложителя:

1. Предлагана единична цена съобразно техническата спецификация:

Артикул	Технически параметри и характеристики съгласно Техническата спецификация	Единица мярка	Количество	Цена без вкл. ДДС (лева)	Цена с вкл. ДДС (лева)
1	2	3	4	5	6 (5 x 20%)


Устройство за придвижване на инвалидни колички	Устройство за придвижване на инвалидни колички - мобилен тип с батерии, метална конструкция, с гумирано покритие на дръжките, с вграден датчик за ъгъл, с панел с бутони ON/OFF, за регулиране на скоростта, за превключване от режим за преодоляване на една стълба на режим постоянен с три скорости - за 10, за 14 и за 18 стълби в минута, капацитет-5,2Ah, напрежение-24V, с преносимо зарядно устройство (акумулатор 4,3 кг).	брой	1 бр.	6230	7476
---	---	------	-------	------	------

2. Цена за изпълнение на „Доставка на оборудване - устройство за придвижване на инвалидни колички” по проект: „Ремонт и обновяване на Читалище „Напредък – 1870”, гр. Лясковец” по мярка 7 „Основни услуги и обновяване на селата в селските райони”, подмярка 7.2 „Инвестиции в създаването, подобряването или разширяването на всички видове малка по мащаби инфраструктура” по Програма за развитие на селските райони 2014 – 2020 г.:

НАИМЕНОВАНИЕ:	СТОЙНОСТ: (В ЛЕВА)
1. Доставка на оборудване - устройство за придвижване на инвалидни колички	6230 лв. без ДДС
2. Данък върху добавената стойност (20 % върху т. 1)	1246 лв.
3. Обща стойност на доставката с включен ДДС (т. 1 + т. 2)	7476 лв.

Декларирам, че при изготвяне на офертата са спазени задълженията, свързани с данъци и осигуровки, закрива на заетостта и условията на труд.

27.09.2016 г.
(посочва се датата на издаване на офертата)

Подпис и печат:  Чл. 2 от ЗЗЛД и чл. 45, ал. 2 от ЗОП
Име и Фамилия: ДАТАША КОЛЕВА
Длъжност: Управител

СПРИНТ ООД гр. Русе, ул. Цар Шишман 3
Управител: 0898 44 89 45; Предпечат: 0898 30 31 10
e-mail: sprint_rs@mail.bg, sprint.ood@gmail.com
http://www.sprint-ruse.com/



ОФЕРТА

за изпълнение на „Доставка на обзавеждане – театрални столове по проект: „Ремонт и обновяване на Читалище „Напредък – 1870”, гр. Лясковец.”
от „Спринт” ООД, гр. Русе, ул. „Цар Шишман” 3
ЕИК 117686067

Уважаема госпожо Кмет,

Представям на Вашето внимание нашата оферта за изпълнение на „Доставка на обзавеждане – театрални столове по проект: „Ремонт и обновяване на Читалище „Напредък – 1870”, гр. Лясковец.” Предлаганите от нас театрални столове отговарят на изискванията, описани в техническата спецификация.

Декларираме, че срокът на валидност на нашата оферта е 80 дни.

Предлагаме цена за изпълнение на доставката в размер на 44 446.50 лв. без ДДС.

Към офертата прилагам следните документи:

1. Представяне на оферент – Образец 1;
2. Техническо предложение – Образец 2;
3. Ценово приложение – Образец 3;
4. Описание на предлаганото обзавеждане;

Чл. 2 от ЗЗЛД и чл. 45, ал. 2 от ЗОП

27.09.2016 г.

С уважение.....

Пенко Великов

